


=>

Uploading C:\Program Files\Stnexp\Queries\10547996-broad.str



chain nodes :

6 7 10 11 12 13 14 15 16 21

ring nodes :

1 2 3 4 5

ring/chain nodes :

8

chain bonds :

6-7 6-8 10-11 12-13 14-15 14-16

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-3 3-4 4-5 6-7 6-8 10-11 12-13 14-15 14-16

isolated ring systems :

containing 1 :

G1:[\*1],[\*2],[\*3]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS

11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 21:CLASS 22:CLASS

L1 STRUCTURE UPLOADED

=>

Uploading C:\Program Files\Stnexp\Queries\10547996-narrow-2.str



```

chain nodes :
2  4  5  6  7  8  9  10  11  12  13  21
ring nodes :
3  22
chain bonds :
2-3  2-21  4-5  6-7  8-10  9-11
ring bonds :
3-22
exact/norm bonds :
2-3  2-21  3-22  4-5  6-7  8-10  9-11

```

G1:C,S

G2:[\*1],[\*2],[\*3],[\*4],[\*5],[\*6]

```


Match level :
2:CLASS 3:Atom 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:CLASS 9:CLASS 10:CLASS
11:Atom
12:CLASS 13:Atom 21:CLASS 22:Atom

```

L6 STRUCTURE UPLOADED

=>

Uploading C:\Program Files\Stnexp\Queries\10547996-elected.str



```

chain nodes :
6 7 8 9 11 12 13
ring nodes :
1 2 3 4 5 14 15 16 17 18 19
chain bonds :
6-7 6-8 8-9 11-12 11-13 13-14
ring bonds :
1-2 1-5 2-3 3-4 4-5 14-15 14-19 15-16 16-17 17-18 18-19
exact/norm bonds :
1-2 1-5 2-3 3-4 4-5 6-7 6-8 8-9 11-12 11-13 13-14
normalized bonds :
14-15 14-19 15-16 16-17 17-18 18-19
isolated ring systems :
containing 14 :
```

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:Atom
11:CLASS 12:CLASS 13:CLASS 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
21:Atom
```

L9 STRUCTURE UPLOADED

FILE 'REGISTRY' ENTERED AT 11:31:50 ON 03 JUN 2008

L1 STRUCTURE UPLOADED

L3 2653 S L1 SSS FULL

L6 STRUCTURE UPLOADED

L8 2616 S L6 SSS FULL SUB=L3  
SAV TEM L8 NAR547996/A

L9 STRUCTURE UPLOADED

L11 46 S L9 SSS FULL SUB=L8

FILE 'CAPLUS' ENTERED AT 11:43:43 ON 03 JUN 2008

L12 4 S L11

L13 1 S US200!-547996/APPS

L14                1 S L12 AND L13  
L15                3 S L12 NOT L13


FILE 'REGISTRY' ENTERED AT 11:44:07 ON 03 JUN 2008

=> d 11  
L1 HAS NO ANSWERS  
L1                STR

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*


Structure attributes must be viewed using STN Express query preparation.

=> d 16  
L6 HAS NO ANSWERS  
L6                STR



Structure attributes must be viewed using STN Express query preparation.

=> d 19  
L9 HAS NO ANSWERS  
L9                STR



Structure attributes must be viewed using STN Express query preparation.

=> fil caplus

=> d 114 bib abs

L14 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2004:780692 CAPLUS Full-text

DN 141:296011

TI Preparation of pyrazoles having 15-lipoxygenase inhibitory activity useful for treating inflammation

IN Hallberg, Anders; Schaal, Wesley; Larhed, Mats; Olofsson, Kristofer; Pelcman, Benjamin; Sanin, Andrei

PA Biolipox AB, Swed.; McNeeney, Stephen Phillip

SO PCT Int. Appl., 108 pp.  
CODEN: PIXXD2



DT Patent

LA English

FAN.CNT 1

|      | PATENT NO.     | KIND   | DATE     | APPLICATION NO. | DATE         |
|------|----------------|--|----------|-----------------|--------------|
| PI   | WO 2004080999  | A1   | 20040923 | WO 2004-GB1054  | 20040312     |
|      | W:             | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW |          |                 |              |
|      | RW:            | BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG   |          |                 |              |
|      | EP 1603897     | A1   | 20051214 | EP 2004-720088  | 20040312     |
|      | R:             | AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK   |          |                 |              |
|      | JP 2006520373  | T  | 20060907 | JP 2006-505952  | 20040312     |
|      | US 20060183780 | A1   | 20060817 | US 2005-547996  | 20051123 <-- |
| PRAI | SE 2003-705    | A  | 20030314 |                 |              |

US 2003-482563P P 20030626  
 WO 2004-GB1054 W 20040312  
 OS MARPAT 141:296011  
 GI



AB Tilte compds. I [wherein R1 = (un)substituted hetero/aryl; R2 = H, alkyl optionally substituted by halo; or when R2 = alkyl optionally substituted by halo, R1NR2 = (un)substituted 5- to 7-membered ring, optionally containing 1 to 3 heteroatoms, and/or 1 to 3 double bonds; R3 = (un)substituted alk(en/yn)yl, hetero/cycloalkyl, hetero/aryl; X = a direct bond, O, NH and derivs.; Y = C(:O), C(:S), SO2; and their pharmaceutically-acceptable salts; with provisos excluding certain compds.] were prepared. The use of compds. I (without exclusions) as inhibitors of the activity of a lipoxygenase, in particular 15-lipoxygenase, for treating inflammation is claimed. Thus, reacting 1H-Pyrazole-3-carboxylic acid N-(2-chlorophenyl)-N-methylamide (preparation given) with 3-chlorophenylisocyanate in toluene at 100° gave dicarboxamide II. Five representative compds. gave inhibition of 15-lipoxygenase ranging from 39 to 50% in a fluorescence bioassay.


RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 115 tot bib abs hitstr

L15 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN  
 AN 2008:550983 CAPLUS Full-text  
 DN 148:517709  
 TI Preparation of substituted pyrazolecarboxanilide derivatives or salts thereof as agricultural or horticultural chemicals  
 IN Machiya, Kozo; Matsuzaki, Yoshihiro; Furuya, Takashi; Suwa, Akiyuki; Yasokawa, Noriaki; Fujioka, Shinsuke  
 PA Nihon Nohyaku Co., Ltd., Japan  
 SO PCT Int. Appl., 86pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA Japanese

FAN.CNT 1

|      | PATENT NO.  | KIND | DATE     | APPLICATION NO. | DATE     |
|------|---|------|----------|-----------------|----------|
| PI   | WO 2008053991   | A1   | 20080508 | WO 2007-JP71403 | 20071102 |
|      | W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW<br>RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM |      |          |                 |          |
| PRAI | JP 2006-299561  | A    | 20061102 |                 |          |
| GI   |   |      |          |                 |          |




- AB The title compds. [I; R1 = H, alkyl, alkylcarbonyl, alkenylcarbonyl, cycloalkyl, (substituted) phenylalkyl, (substituted) phenylcarbonyl, etc.; R2 = H, halogeno, alkyl, cyano, OH, alkoxy, (substituted) phenoxy, (substituted) phenylthio, (substituted) phenylsulfonyl, etc.; Z = O or S; X = H, halogeno, CN, alkyl, etc.; Y1 = alkylcarbonyl, cycloalkylcarbonyl, alkoxyalkyl, alkoxy carbonyl, (substituted) phenoxy carbonyl, alkoxyalkylcarbonyl, alkylcarbonyloxyalkyl, alkylsulfonyl, (substituted) phenylsulfonyl, mono- or dialkylaminocarbonyl, mono- or dialkylaminothiocarbonyl, (substituted) phenylcarbonyl, (substituted) phenylalkyl, dialkoxy(thio)phosphoryl, etc.; Y2 = halogeno, cyano, NO<sub>2</sub>, alkyl, (substituted) Ph, (substituted) phenoxy, etc.; m = 1 or 2; n = 1-4] or salts thereof are prepared. These compds. are useful as agricultural or horticultural chems., in particular insecticides or acaricides. Thus, 0.06 g acetyl chloride was added to a suspension of 0.30 g N-isobutyryl-N-[3-isobutyl-4-[1-methoxy-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]phenyl]-1H-3,5-dimethylpyrazole-4-carboxamide and 0.12 g K<sub>2</sub>CO<sub>3</sub> in 10 mL MeCN and the resulting mixture was stirred at room temperature for 3 h to give 76.2% N-isobutyryl-N-[3-isobutyl-4-[1-methoxy-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]phenyl]-1-acetyl-3,5-dimethylpyrazole-4-carboxamide (II). II at 500 ppm controlled 90-99% adult *Tetranychus urticae*.
- IT 1022987-62-7F, N-Isobutyryl-N-[3-isobutyl-4-[1-methoxy-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]phenyl]-1-(dimethylcarbamoyl)-3,5-dimethylpyrazole-4-carboxamide  
 RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of substituted pyrazolecarboxanilide derivs. or salts thereof)

as agricultural or horticultural chems. such as insecticides and  
acaricides)

RN 1022987-62-7 CAPLUS

CN INDEX NAME NOT YET ASSIGNED



RE.CNT 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L15 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN  
AN 2008:10602 CAPLUS Full-text  
DN 148:113191  
TI Methods for identifying modulators of Eoxin formation  
IN Claesson, Hans-Erik; Bjoerkholm, Magnus  
PA Biolipox AB, Swed.; Pilkington, Stephanie  
SO PCT Int. Appl., 126pp.  
CODEN: PIXXD2  
DT Patent  
LA English  
FAN.CNT 1

|    | PATENT NO.   | KIND | DATE     | APPLICATION NO. | DATE     |
|----|--|------|----------|-----------------|----------|
| PI | WO 2008001079  | A1   | 20080103 | WO 2007-GB2394  | 20070627 |
|    | W:   |      |          |                 |          |
|    | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW |      |          |                 |          |
|    | RW:  |      |          |                 |          |
|    | AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM   |      |          |                 |          |

PRAI SE 2006-1394 A 20060627

AB A method for identifying a compound for modulating the formation of 14,15-LTC<sub>4</sub> (Eoxin C<sub>4</sub>; EoxC<sub>4</sub>), 14,15-LTD<sub>4</sub> (Eoxin D<sub>4</sub>; EoxD<sub>4</sub>), or 14,15-LTE<sub>4</sub> (Eoxin E<sub>4</sub>; EoxE<sub>4</sub>) in a biol. system. A method for identifying a compound with an anti-inflammatory effect, the method comprising testing the compound for an effect on formation and/or activity of 14,15-LTC<sub>4</sub> (Eoxin C<sub>4</sub>; EoxC<sub>4</sub>), 14,15-LTD<sub>4</sub>



(Eoxin D4; EoxD4), or 14,15-LTE4 (Eoxin E4; EoxE4) in a biol. system. A method of making an anti-inflammatory composition or Eoxin formation-modulating composition comprising (i) identifying an anti-inflammatory compound or Eoxin formation-modulating compound by a method of the invention; (ii) combining the compound with a pharmaceutically acceptable excipient or carrier.


IT 763108-23-2 763108-24-3 1000678-87-4

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(Eoxin formation inhibition by; methods for identifying modulators of Eoxin formation as anti-inflammatory agents and bone loss inhibitors and for Eoxins to promote inflammation)


RN 763108-23-2 CAPLUS

CN Hexanoic acid, 6-[[[3-[[[2-chloro-4-fluorophenyl]amino]carbonyl]-1H-pyrazol-1-yl]carbonyl]amino]-, ethyl ester (CA INDEX NAME)




RN 763108-24-3 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-N1-pentyl- (CA INDEX NAME)



RN 1000678-87-4 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N1-butyl-N3-(2-chloro-4-fluorophenyl)- (CA INDEX NAME)



RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L15 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2008 ACS on STN


AN 2006:295966 CAPLUS Full-text

DN 144:350669

TI Preparation of pyrazolecarboxamides as 15-lipoxygenase inhibitors for treatment of inflammation.

IN Pelcman, Benjamin; Sanin, Andrei; Nilsson, Peter; Boesen, Thomas  
 PA Biolipox AB, Swed.  
 SO PCT Int. Appl., 87 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 2

|      | PATENT NO.  | KIND | DATE     | APPLICATION NO. | DATE     |
|------|---|------|----------|-----------------|----------|
| PI   | WO 2006032852   | A1   | 20060330 | WO 2005-GB3584  | 20050919 |
|      | W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,<br>CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,<br>GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ,<br>LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ,<br>NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG,<br>SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN,<br>YU, ZA, ZM, ZW<br>RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,<br>IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,<br>CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,<br>GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,<br>KG, KZ, MD, RU, TJ, TM |      |          |                 |          |
|      | EP 1794130  | A1   | 20070613 | EP 2005-784086  | 20050919 |
|      | R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,<br>IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR  |      |          |                 |          |
|      | JP 2008513427   | T    | 20080501 | JP 2007-531832  | 20050919 |
|      | US 20080090836  | A1   | 20080417 | US 2007-663180  | 20070319 |
| PRAI | US 2004-610952P   | P    | 20040920 |                 |          |
|      | WO 2005-GB3584  | W    | 20050919 |                 |          |
| OS   | MARPAT 144:350669   |      |          |                 |          |
| GI   |   |      |          |                 |          |



AB Title compds. [I; R<sup>1</sup> = (substituted) aryl, heteroaryl; R<sup>2</sup> = (substituted) alkyl; R<sup>3</sup> = (substituted) alkyl, heterocycloalkyl, aryl, heteroaryl; X = bond, NR<sup>4a</sup>; Y = CO, CS, SO<sub>2</sub>; R<sup>4a</sup> = H, (substituted) alkyl, heterocycloalkyl; R<sup>a</sup>, R<sup>b</sup> = H, halo, (substituted) alkyl], were prepared Thus, 5-methylpyrazole-1,3-dicarboxylic acid 3-[(2-chloro-4- fluorophenyl)amide]-1-hexylamide (preparation outlined) inhibited 15-lipoxxygenase with IC<sub>50</sub> = 0.40 μM.


IT 881684-98-3P 881684-00-0P 881684-01-1P  
 881684-02-2P 881684-03-3P 881684-04-4P  
 881684-06-6P 881684-09-9P 881684-10-2P  
 881684-11-3P 881684-12-4P 881684-13-5P  
 881684-14-6P 881684-17-9P 881684-18-0P  
 881684-21-5P 881684-22-6P 881684-23-7P  
 881684-24-8P 881684-25-9P 881684-26-0P  
 881684-27-1P 881684-28-2P 881684-32-8P  
 881684-81-7P  
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES

(Uses)

(preparation of pyrazolecarboxamides as 15-lipoxygenase inhibitors)


RN 881683-98-3 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-4-methyl-N1-(1-methylethyl)- (CA INDEX NAME)




RN 881684-00-0 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-N1-hexyl-4-methyl- (CA INDEX NAME)




RN 881684-01-1 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-4-methyl-N1-[2-(2-thienyl)ethyl]- (CA INDEX NAME)




RN 881684-02-2 CAPLUS


CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-4-methyl-N1-2-propen-1-yl- (CA INDEX NAME)




RN 881684-03-3 CAPLUS  
 CN 1H-Pyrazole-1,3-dicarboxamide, N1-hexyl-4-methyl-N3-[4-(trifluoromethyl)phenyl]- (CA INDEX NAME)




RN 881684-04-4 CAPLUS  
 CN 1H-Pyrazole-1,3-dicarboxamide, 4-butyl-N3-(2-chloro-4-fluorophenyl)-N1-hexyl- (CA INDEX NAME)



RN 881684-06-6 CAPLUS  
 CN 1H-Pyrazole-1,3-dicarboxamide, 4-butyl-N3-(2-chloro-4-fluorophenyl)-N1-(1-methylethyl)- (CA INDEX NAME)




RN 881684-09-9 CAPLUS  
 CN 1H-Pyrazole-1,3-dicarboxamide, N1-(2-bromoethyl)-N3-(2-chloro-4-fluorophenyl)-4-methyl- (CA INDEX NAME)




RN 881684-10-2 CAPLUS  
 CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-N1-(3-

chloropropyl)-4-methyl- (CA INDEX NAME)




RN 881684-11-3 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-4-methyl-N1-(phenylmethyl)- (CA INDEX NAME)




RN 881684-12-4 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-N1-ethyl-4-methyl- (CA INDEX NAME)




RN 881684-13-5 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-4-methyl-N1-(2-phenylethyl)- (CA INDEX NAME)




RN 881684-14-6 CAPLUS

CN Glycine, N-[[3-[[[(2-chloro-4-fluorophenyl)amino]carbonyl]-4-methyl-1H-pyrazol-1-yl]carbonyl]-, ethyl ester (CA INDEX NAME)




RN 881684-17-9 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-N1-(1,1-dimethylethyl)-5-methyl- (CA INDEX NAME)




RN 881684-18-0 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-5-methyl-N1-(1-methylethyl)- (CA INDEX NAME)




RN 881684-21-5 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N1-hexyl-5-methyl-N3-[4-(trifluoromethyl)phenyl]- (CA INDEX NAME)




RN 881684-22-6 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, 5-methyl-N1-(1-methylethyl)-N3-[4-(trifluoromethyl)phenyl]- (CA INDEX NAME)




RN 881684-23-7 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-N1-hexyl-5-methyl- (CA INDEX NAME)




RN 881684-24-8 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N1-(2-bromoethyl)-5-methyl-N3-[4-(trifluoromethyl)phenyl]- (CA INDEX NAME)




RN 881684-25-9 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-N1-ethyl-5-methyl- (CA INDEX NAME)




RN 881684-26-0 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-5-methyl-N1-(2-phenylethyl)- (CA INDEX NAME)




RN 881684-27-1 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-5-methyl-N1-[2-(2-thienyl)ethyl]- (CA INDEX NAME)




RN 881684-28-2 CAPLUS

CN Glycine, N-[[3-[[[(2-chloro-4-fluorophenyl)amino]carbonyl]-5-methyl-1H-pyrazol-1-yl]carbonyl]-, ethyl ester (CA INDEX NAME)



RN 881684-32-8 CAPLUS


CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-5-methyl-N1-2-propen-1-yl- (CA INDEX NAME)



RN 881684-81-7 CAPLUS

CN 1H-Pyrazole-1,3-dicarboxamide, N3-(2-chloro-4-fluorophenyl)-N1-[2-[(3-chloropropyl)thio]ethyl]-4-methyl- (CA INDEX NAME)





RE.CNT 6        THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

STN INTERNATIONAL SESSION SUSPENDED AT 11:44:54 ON 03 JUN 2008